

F-LINE for T16 lamps

F-LINE 1../ 2..

Design: Single luminaire designed for pendant mounting with low-profile luminaire housing. Housing with seamless underside, in edged sheet steel, white or silver colour powder coated. Top of housing with fixing points spaced at 35 mm for variable wire pendant luminaire mounting.

With electronic multiwatt electronic ballast EVG (MW-EVG) 220-240 V, 50-60 Hz.

Mounting: The luminaires are suitable for ceiling pendant mounting using wire pendants or with accessories for direct ceiling mounting.

Wire pendant mounting F-LINE 1.. with ZSPT2Z 190, F-LINE 2.. with ZSPT2Z 295

F-LINE ... SG

Parabolic SG mirror louvre constructed of high-reflectance specular, super purity anodised aluminium with silver coating

F-LINE ... SM

Parabolic SM mirror louvre constructed of matt super-purity anodised aluminium with silver coating

F-LINE ... O

Opal profile cover made of UV-resistant acrylic (PMMA) with satinised surface.

F-LINE ... MPS

Transparent co-extruded plastic cover in clear UV-stabilised PMMA, with external microprism structure. Internal longitudinal fins for positioning made of impact-resistant UV-stabilised PMMA with opal light-impermeable coloration to prevent unwanted light reflection. Fins may be coated in any optional colour to customer order.

F-LINE ... AS

Asymmetrical reflector AS made of high-reflectance matt super-purity anodised aluminium with silver coating. Direct distribution only including cover for ceiling mounting.



acc. to VDE 0711/0875

F-LINE ... SG



F-LINE ... SM




F-LINE ... O



F-LINE ... MPS



F-LINE ... AS



Model	Lamps	L	Dimens. [mm]				magnetic ballast Prod. code	electronic ballast Prod. code	dimm. ballast (DALI) Prod. code
			B	H	AE min	AE max			
F-LINE 128/54 SG	1xT16 28/54 W	1253	150	37	840	1190		0626729	0636729
F-LINE 128/54 SG-SI	1xT16 28/54 W	1253	150	37	840	1190		0626729SI	0636729SI
F-LINE 135/49/80 SG	1xT16 35/49/80 W	1553	150	37	1140	1490		0626730	0636730
F-LINE 135/49/80 SG-SI	1xT16 35/49/80 W	1553	150	37	1140	1490		0626730SI	0636730SI
F-LINE 228/54 SG	2xT16 28/54 W	1253	204	37	840	1190		0626737	0636737
F-LINE 228/54 SG-SI	2xT16 28/54 W	1253	204	37	840	1190		0626737SI	0636737SI
F-LINE 235/49 SG	2xT16 35/49 W	1553	204	37	1140	1490		0626739	0636739
F-LINE 235/49 SG-SI	2xT16 35/49 W	1553	204	37	1140	1490		0626739SI	0636739SI
F-LINE 128/54 SM	1xT16 28/54 W	1253	150	37	840	1190		0626727	0636727
F-LINE 128/54 SM-SI	1xT16 28/54 W	1253	150	37	840	1190		0626727SI	0636727SI
F-LINE 135/49/80 SM	1xT16 35/49/80 W	1553	150	37	1140	1490		0626728	0636728
F-LINE 135/49/80 SM-SI	1xT16 35/49/80 W	1553	150	37	1140	1490		0626728SI	0636728SI
F-LINE 228/54 SM	2xT16 28/54 W	1253	204	37	840	1190		0626738	0636738
F-LINE 228/54 SM-SI	2xT16 28/54 W	1253	204	37	840	1190		0626738SI	0636738SI
F-LINE 235/49 SM	2xT16 35/49 W	1553	204	37	1140	1490		0626740	0636740
F-LINE 235/49 SM-SI	2xT16 35/49 W	1553	204	37	1140	1490		0626740SI	0636740SI
F-LINE 128/54 O	1xT16 28/54 W	1253	150	37	840	1190		0626751	0636751
F-LINE 128/54 O-SI	1xT16 28/54 W	1253	150	37	840	1190		0626751SI	0636751SI
F-LINE 135/49/80 O	1xT16 35/49/80 W	1553	150	37	1140	1490		0626752	0636752
F-LINE 135/49/80 O-SI	1xT16 35/49/80 W	1553	150	37	1140	1490		0626752SI	0636752SI
F-LINE 128/54 MPS	1xT16 28/54 W	1253	150	37	840	1190		0620711	0630711
F-LINE 128/54 MPS-SI	1xT16 28/54 W	1253	150	37	840	1190		0620711SI	0630711SI
F-LINE 135/49/80 MPS	1xT16 35/49/80 W	1553	150	37	1140	1490		0620712	0630712
F-LINE 135/49/80 MPS-SI	1xT16 35/49/80 W	1553	150	37	1140	1490		0620712SI	0630712SI
F-LINE 128/54 AS	1xT16 28/54 W	1253	150	37	840	1190		0626800	0636800
F-LINE 128/54 AS-SI	1xT16 28/54 W	1253	150	37	840	1190		0626800SI	0636800SI
F-LINE 135/49/80 AS	1xT16 35/49/80 W	1553	150	37	1140	1490		0626801	0636801
F-LINE 135/49/80 AS-SI	1xT16 35/49/80 W	1553	150	37	1140	1490		0626801SI	0636801SI

Accessories

Model	Description	Prod. code
F-LINE-A 128	F-LINE 128 cover for ceiling mounting, white, 0% ind comp	0207956
F-LINE-A 128 SI	F-LINE 128 cover for ceiling mounting, silver, 0% ind comp	0207956SI
F-LINE-A 135	F-LINE 135 cover for ceiling mounting, white, 0% ind comp	0207957
F-LINE-A 135 SI	F-LINE 135 cover for ceiling mounting, silver, 0% ind comp	0207957SI
F-LINE-A 228	F-LINE 228 cover for ceiling mounting, white, 0% ind comp	0207958
F-LINE-A 228 SI	F-LINE 228 cover for ceiling mounting, silver, 0% ind comp	0207958SI
F-LINE-A 235	F-LINE 235 cover for ceiling mounting, white, 0% ind comp	0207959
F-LINE-A 235 SI	F-LINE 235 cover for ceiling mounting, silver, 0% ind comp	0207959SI
F-LINE-A20 128	F-LINE 128 cover for ceiling mounting, 20% ind comp	0207961
F-LINE-A20 128 SI	F-LINE 128 cover for ceiling mounting, 20% ind comp	0207961SI
F-LINE-A20 135	F-LINE 135 cover for ceiling mounting, 20% ind comp	0207962
F-LINE-A20 135 SI	F-LINE 135 cover for ceiling mounting, 20% ind comp	0207962SI
F-LINE-A20 228	F-LINE 228 cover for ceiling mounting, 20% ind comp	0207963
F-LINE-A20 228 SI	F-LINE 228 cover for ceiling mounting, 20% ind comp	0207963SI
F-LINE-A20 235	F-LINE 235 cover for ceiling mounting, 20% ind comp	0207964
F-LINE-A20 235 SI	F-LINE 235 cover for ceiling mounting, 20% ind comp	0207964SI
F-LINE-AS 128	Cover F-LINE 128 with clear diffuser	0207966
F-LINE-AS 128 SI	Cover F-LINE 128 with clear diffuser, silver	0207966SI
F-LINE-AS 135	Cover F-LINE 135 with clear diffuser	0207967
F-LINE-AS 135 SI	Cover F-LINE 135 with clear diffuser, silver	0207967SI
F-LINE-AS 228	Cover F-LINE 228 with clear diffuser	0207968
F-LINE-AS 228 SI	Cover F-LINE 228 with clear diffuser, silver	0207968SI
F-LINE-AS 235	Cover F-LINE 235 with clear diffuser	0207969
F-LINE-AS 235 SI	Cover F-LINE 235 with clear diffuser, silver	0207969SI
F-LINE-VS	Lum. connector f. F-LINE, 100mm, white, pendant m. only, 1 pc	0207971
F-LINE-VS-D	Lum. connector f. F-LINE, 100mm, white, ceiling surface m., 1 pc	0208095
F-LINE-VS-D-SI	Lum. connector f. F-LINE, 100mm, silver, ceiling surface m., 1 pc	0208095SI
F-LINE-VS-SI	Lum. connector f. F-LINE, 100mm, silver, pendant m. only, 1 pc	0207971SI
F-LINE-VSK 1../2..	X-sh. lum. connector f. F-LINE, white, pendant m. only	0207974
F-LINE-VSK 1../2.. SI	X-sh. lum. connector f. F-LINE, silver, pendant m. only	0207974SI
F-LINE-VSL 1../2..	L-sh. lum. connector f. F-LINE, white, pendant m. only	0207972
F-LINE-VSL 1../2.. SI	L-sh. lum. connector f. F-LINE, silver, pendant m. only	0207972SI
F-LINE-VST 1../2..	T-sh. lum. connector f. F-LINE, white, pendant m. only	0207973
F-LINE-VST 1../2.. SI	T-sh. lum. connector f. F-LINE, silver, pendant m. only	0207973SI
ZAL 3x1,5/1,5M-T	Clear mains cable, 3x1.5mm ² , 1.5 metre	0207977
ZAL 3x0,75/1,5M-T	Clear mains cable, 3x0.75mm ² , 1.5 metre	0203579
ZAL 5x1,5/1,5M-T	Clear mains cable, 5x1.5mm ² , 1.5 metre	0207978
ZAL 5x0,75/1,5M-T	Clear mains cable, 5x0.75mm ² , 1.5 metre	0203580
ZDBE	Rectang. canopy, white, for 'Y' wire pendant ZUSP & UKNS	0204332
ZDBE-SI	Rectang. canopy, silver, for 'Y' wire pendant ZUSP & UKNS	0204332SI
ZIDV-F-LINE 28/3/1,5	Through-wiring F-LINE .28, 3x1,5mm ² , L=1,7m	0201255
ZIDV-F-LINE 28/5/1,5 DIM	Through-wiring F-LINE .28, 5x1,5mm ² , L=1,7m	0201256
ZIDV-F-LINE 35/3/1,5	Through-wiring F-LINE .35, 3x1,5mm ² , L=2,0m	0201253
ZIDV-F-LINE 35/5/1,5 DIM	Through-wiring F-LINE .35, 5x1,5mm ² , L=2,0m	0201254
ZKF 3x0,75/1,0M	Cable guide C-profile, for dia. 4-5mm, 1 metre, transparent	0207979
ZRO	Frame opener	0204003
¹⁾ ZSPT2Z 120	'Y' wire pendant with ceiling fixture, cyl. 1.5 m, 1 pc	0203582
¹⁾ ZSPT2Z 190	'Y' wire pendant with ceiling fixture, cyl. 1.5m, 1 pc	0203587
¹⁾ ZSPT2Z 295	'Y' wire pendant with ceiling fixture, cyl. 1.5m, 1 pc	0203583
¹⁾ ZSPT2ZE 190	'Y' wire pendant, rectangular canopy, 1.5m, 1 pc	0207976
¹⁾ ZSPT2ZE 190 SI	'Y' wire pendant, rectangular canopy silver, 1.5m, 1 pc	0207976SI
¹⁾ ZSPT2ZE 295	'Y' wire pendant, rectangular canopy white, 1.5m, 1 pc	0202897
¹⁾ ZSPT2ZE 295 SI	'Y' wire pendant, rectangular canopy silver, 1.5m, 1 pc	0202897SI
¹⁾ ZSPT2ZH 190	'Y' wire pendant, domed canopy, white, 1.5m, 1 pc	0207975
¹⁾ ZSPT2ZH 190 SI	'Y' wire pendant, domed canopy, silver, 1.5m, 1 pc	0207975SI
¹⁾ ZSPT2ZH 295	'Y' wire pendant, domed canopy, white, 1.5m, 1 pc	0202896
¹⁾ ZSPT2ZH 295 SI	'Y' wire pendant, domed canopy, silver, 1.5m, 1 pc	0202896SI

¹⁾ Wire pendant mounting: F-LINE single lamp with ZSPT2Z. 190, dual-lamp with ZSPT2Z. 295, 2 per luminaire

²⁾ Wire pendant for luminaire connector F-LINE-VS...



F-LINE for T16 lamps

F-LINE 2X1../3...

Design: Single luminaire designed for pendant mounting with low-profile luminaire housing. Housing with seamless underside, in edged sheet steel, white or silver colour powder coated. Top of housing with fixing points spaced at 35 mm for variable wire pendant luminaire mounting.

F-LINE 2X1.. with 2 separate light chambers separated by a longitudinal web in the luminaire housing

F-LINE 3.. with 1 lamp for direct light component and 2 lamps for indirect light component. Perforated luminaire housing on both sides next to the direct light component, lined with a light filter and backlit.

With electronic multiwatt ballast (MW-EVG) 220-240 V, 0/50-60 Hz.

Mounting: The luminaires are suitable for pendant mounting with wire pendant. F-LINE 2X1.. is also suitable for direct ceiling mounting using an accessory.

F-LINE ... SG

Parabolic mirror louvre SG made of high-reflectance, specular super-purity anodised aluminium with silver coating

F-LINE ... SM

Parabolic mirror louvre SM made of silk matt, super-purity anodised aluminium with silver coating

F-LINE ... O

Opal profile cover made of UV-resistant acrylic (PMMA) with satinised surface.

F-LINE ... MPS

Transparent co-extruded plastic cover in clear UV-stabilised PMMA, with external microprism structure. Internal longitudinal fins for positioning made of impact-resistant UV-stabilised PMMA with opal light-impermeable coloration to prevent unwanted light reflection. Fins may be coated in any optional colour to customer order.

F-LINE ... AS

Asymmetrical reflector AS made of high-reflectance matt, super-purity anodised aluminium with silver coating



acc. to VDE 0711/0875


F-LINE ... SG




F-LINE ... SM



F-LINE ... O



F-LINE ... MPS



F-LINE ... AS



Model	Lamps	Dimens. [mm]					magnetic ballast Prod. code	electronic ballast Prod. code	dimm. ballast (DALI) Prod. code
		L	B	H	AE min	AE max			
F-LINE 2X128/54 SG	2xT16 28/54 W	1253	260	37	840	1190		0626810	0636810
F-LINE 2X128/54 SG-SI	2xT16 28/54 W	1253	260	37	840	1190		0626810SI	0636810SI
F-LINE 2X135/49 SG	2xT16 35/49 W	1553	260	37	1140	1490		0626813	0636813
F-LINE 2X135/49 SG-SI	2xT16 35/49 W	1553	260	37	1140	1490		0626813SI	0636813SI
F-LINE 328/54 SG	3xT16 28/54 W	1253	260	37	840	1190		0626802	0636802
F-LINE 328/54 SG-SI	3xT16 28/54 W	1253	260	37	840	1190		0626802SI	0636802SI
F-LINE 335/49 SG	3xT16 35/49 W	1553	260	37	1140	1490		0626806	0636806
F-LINE 335/49 SG-SI	3xT16 35/49 W	1553	260	37	1140	1490		0626806SI	0636806SI
F-LINE 2X128/54 SM	2xT16 28/54 W	1253	260	37	840	1190		0626811	0636811
F-LINE 2X128/54 SM-SI	2xT16 28/54 W	1253	260	37	840	1190		0626811SI	0636811SI
F-LINE 2X135/49 SM	2xT16 35/49 W	1553	260	37	1140	1490		0626814	0636814
F-LINE 2X135/49 SM-SI	2xT16 35/49 W	1553	260	37	1140	1490		0626814SI	0636814SI
F-LINE 328/54 SM	3xT16 28/54 W	1253	260	37	840	1190		0626803	0636803
F-LINE 328/54 SM-SI	3xT16 28/54 W	1253	260	37	840	1190		0626803SI	0636803SI
F-LINE 335/49 SM	3xT16 35/49 W	1553	260	37	1140	1490		0626807	0636807
F-LINE 335/49 SM-SI	3xT16 35/49 W	1553	260	37	1140	1490		0626807SI	0636807SI
F-LINE 2X128/54 O	2xT16 28/54 W	1253	260	37	840	1190		0626812	0636812
F-LINE 2X128/54 O-SI	2xT16 28/54 W	1253	260	37	840	1190		0626812SI	0636812SI
F-LINE 2X135/49 O	2xT16 35/49 W	1553	260	37	1140	1490		0626815	0636815
F-LINE 2X135/49 O-SI	2xT16 35/49 W	1553	260	37	1140	1490		0626815SI	0636815SI
F-LINE 328/54 O	3xT16 28/54 W	1253	260	37	840	1190		0626804	0636804
F-LINE 328/54 O-SI	3xT16 28/54 W	1253	260	37	840	1190		0626804SI	0636804SI
F-LINE 335/49 O	3xT16 35/49 W	1553	260	37	1140	1490		0626808	0636808
F-LINE 335/49 O-SI	3xT16 35/49 W	1553	260	37	1140	1490		0626808SI	0636808SI
F-LINE 2X128/54 MPS	2xT16 28/54 W	1253	260	37	840	1190		0620715	0630715
F-LINE 2X128/54 MPS-SI	2xT16 28/54 W	1253	260	37	840	1190		0620715SI	0630715SI
F-LINE 2X135/49 MPS	2xT16 35/49 W	1523	260	37	1140	1490		0620716	0630716
F-LINE 2X135/49 MPS-SI	2xT16 35/49 W	1523	260	37	1140	1490		0620716SI	0630716SI
F-LINE 328/54 MPS	3xT16 28/54 W	1253	260	37	840	1190		0620713	0630713
F-LINE 328/54 MPS-SI	3xT16 28/54 W	1253	260	37	840	1190		0620713SI	0630713SI
F-LINE 335/49 MPS	3xT16 35/49 W	1523	260	37	1140	1490		0620714	0630714
F-LINE 335/49 MPS-SI	3xT16 35/49 W	1523	260	37	1140	1490		0620714SI	0630714SI
F-LINE 328/54 AS	3xT16 28/54 W	1253	260	37	840	1190		0626805	0636805
F-LINE 328/54 AS-SI	3xT16 28/54 W	1253	260	37	840	1190		0626805SI	0636805SI
F-LINE 335/49 AS	3xT16 35/49 W	1553	260	37	1140	1490		0626809	0636809
F-LINE 335/49 AS-SI	3xT16 35/49 W	1553	260	37	1140	1490		0626809SI	0636809SI

Accessories

Model	Description	Prod. code
F-LINE-A 2X128	F-LINE 2X128 cover for ceiling mounting, white, 0% ind comp	0208070
F-LINE-A 2X128 SI	F-LINE 2X128 cover for ceiling mounting, silver, 0% ind comp	0208070SI
F-LINE-A 2X135	F-LINE 2X135 cover for ceiling mounting, white, 0% ind comp	0208071
F-LINE-A 2X135 SI	F-LINE 2X135 cover for ceiling mounting, silver, 0% ind comp	0208071SI
F-LINE-A20 2X128	F-LINE 2X128 cover for ceiling mounting, 20% ind comp	0208072
F-LINE-A20 2X128 SI	F-LINE 2X128 cover for ceiling mounting, 20% ind comp	0208072SI
F-LINE-A20 2X135	F-LINE 2X135 cover for ceiling mounting, 20% ind comp	0208073
F-LINE-A20 2X135 SI	F-LINE 2X135 cover for ceiling mounting, 20% ind comp	0208073SI
F-LINE-AS 2X128	F-LINE 2X128 cover with clear diffuser	0208075
F-LINE-AS 2X128 SI	F-LINE 2X128 cover with clear diffuser, silver	0208075SI
F-LINE-AS 2X135	F-LINE 2X135 cover with clear diffuser	0208076
F-LINE-AS 2X135 SI	F-LINE 2X135 cover with clear diffuser, silver	0208076SI
F-LINE-VS	Lum. connector f. F-LINE, 100mm, white, pendant m. only, 1 pc	0207971
F-LINE-VS-D	Lum. connector f. F-LINE, 100mm, white, ceiling surface m., 1 pc	0208095
F-LINE-VS-D-SI	Lum. connector f. F-LINE, 100mm, silver, ceiling surface m., 1 pc	0208095SI
F-LINE-VS-SI	Lum. connector f. F-LINE, 100mm, silver, pendant m. only, 1 pc	0207971SI
ZAL 3X1,5/1,5M-T	Clear mains cable, 3x1.5mm ² , 1.5 metre	0207977
ZAL 3x0,75/1,5M-T	Clear mains cable, 3x0.75mm ² , 1.5 metre	0203579
ZAL 5X1,5/1,5M-T	Clear mains cable, 5x1.5mm ² , 1.5 metre	0207978
ZAL 5x0,75/1,5M-T	Clear mains cable, 5x0.75mm ² , 1.5 metre	0203580
ZIDV-F-LINE 28/3/1,5	Through-wiring F-LINE .28, 3x1,5mm ² , L=1,7m	0201255
ZIDV-F-LINE 28/5/1,5 DIM	Through-wiring F-LINE .28, 5x1,5mm ² , L=1,7m	0201256
ZIDV-F-LINE 35/3/1,5	Through-wiring F-LINE .35, 3x1,5mm ² , L=2,0m	0201253
ZIDV-F-LINE 35/5/1,5 DIM	Through-wiring F-LINE .35, 5x1,5mm ² , L=2,0m	0201254
ZKF 3X0,75/1,0M	Cable guide C-profile, for dia. 4-5mm, 1 metre, transparent	0207979
ZRO	Frame opener	0204003
ZSPT2Z 295	Y' wire pendant with ceiling fixture, cyl. 1.5m, 1 pc	0203583
ZSPT2ZE 295	Y' wire pendant, rectangular canopy white, 1.5m, 1 pc	0202897
ZSPT2ZE 295 SI	Y' wire pendant, rectangular canopy silver, 1.5m, 1 pc	0202897SI
ZSPT2ZH 295	Y' wire pendant, domed canopy, white, 1.5m, 1 pc	0202896
ZSPT2ZH 295 SI	Y' wire pendant, domed canopy, silver, 1.5m, 1 pc	0202896SI





F-LINE for T16 lamps

F-LINE 314/24, F-LINE 414/24

Design: Single luminaire designed for pendant mounting with low-profile luminaire housing. Housing with seamless underside, in edged sheet steel, white or silver colour powder coated.

F-LINE 314/24 with 3 separate light chambers separated by longitudinal webs in the luminaire housing. 2 perforated strips in the luminaire housing between the direct light components, lined with a light filter and backlit.

F-LINE 414/24 with 2 separate light chambers separated by a longitudinal web in the luminaire housing. 2 perforated strips in the luminaire housing between the direct light components, lined with a light filter and backlit.

With electronic multiwatt ballast (MW-EVG) 220-240 V, 0/50-60 Hz.

Mounting: The luminaires are suitable for pendant wire mounting or using accessories for direct ceiling mounting.

F-LINE ... SG

Parabolic mirror louvre SG constructed of high-reflectance, specular, super-purity anodised aluminium with silver coating

F-LINE ... SM

Parabolic mirror louvre SM constructed of silk matt, super-purity anodised aluminium with silver coating

F-LINE ... MPS


Transparent co-extruded plastic cover in clear UV-stabilised PMMA, with external microprism structure. Internal longitudinal fins for positioning made of impact-resistant UV-stabilised PMMA with opal light-impermeable coloration to prevent unwanted light reflection. Fins may be coated in any optional colour to customer order.

F-LINE ... O


Opal profile cover made of UV-resistant acrylic (PMMA) with satinised surface.



acc. to VDE 0711/0875



F-LINE ... SG



F-LINE ... SM



F-LINE ... MPS



F-LINE ... O



Model	Lamps	Dimens. [mm]					magnetic ballast Prod. code	electronic ballast Prod. code	dimm. ballast (DALI) Prod. code
		L	B	H	AE	AE1			
F-LINE 314/24 SG	3xT16 14/24 W	653	650	37	570	610		0627270	0637270
F-LINE 314/24 SG-SI	3xT16 14/24 W	653	650	37	570	610		0627270SI	0637270SI
F-LINE 414/24 SG	4xT16 14/24 W	653	650	37	570	610		0627273	0637273
F-LINE 414/24 SG-SI	4xT16 14/24 W	653	650	37	570	610		0627273SI	0637273SI
F-LINE 314/24 SM	3xT16 14/24 W	653	650	37	570	610		0627271	0637271
F-LINE 314/24 SM-SI	3xT16 14/24 W	653	650	37	570	610		0627271SI	0637271SI
F-LINE 414/24 SM	4xT16 14/24 W	653	650	37	570	610		0627274	0637274
F-LINE 414/24 SM-SI	4xT16 14/24 W	653	650	37	570	610		0627274SI	0637274SI
F-LINE 314/24 MPS	3xT16 14/24 W	653	650	37				0620717	0630717
F-LINE 314/24 MPS-SI	3xT16 14/24 W	653	650	37				0620717SI	0630717SI
F-LINE 314/24 O	3xT16 14/24 W	653	650	37	570	610		0627272	0637272
F-LINE 314/24 O-SI	3xT16 14/24 W	653	650	37	570	610		0627272SI	0637272SI

Accessories

Model	Description	Prod. code
F-LINE-A 314/414	F-LINE 3/414 cover for ceiling mounting, white, 0% ind comp	0207960
F-LINE-A 314/414 SI	F-LINE 3/414 cover for ceiling mounting, silver, 0% ind comp	0207960SI
F-LINE-A20 314/414	F-LINE 3/4 cover for ceiling mounting, 20% ind comp	0207965
F-LINE-A20 314/414 SI	F-LINE 3/4 cover for ceiling mounting, 20% ind comp	0207965SI
F-LINE-AS 314/414	F-LINE 3./4 cover with clear diffuser	0207970
F-LINE-AS 314/414 SI	F-LINE 3./4 cover with clear diffuser	0207970SI
ZAL 3X1,5/1,5M-T	Clear mains cable, 3x1.5mm², 1.5 metre	0207977
ZAL 3x0,75/1,5M-T	Clear mains cable, 3x0.75mm², 1.5 metre	0203579
ZAL 5X1,5/1,5M-T	Clear mains cable, 5x1.5mm², 1.5 metre	0207978
ZAL 5x0,75/1,5M-T	Clear mains cable, 5x0.75mm², 1.5 metre	0203580
ZKF 3X0,75/1,0M	Cable guide C-profile, for dia. 4-5mm, 1 metre, transparent	0207979
ZSP	Wire pendant, ceiling fixture, wire clamp 1.5m, 1 pc	0205017
ZSPS	Wire pendant, ceiling fixture, manual wire clamp 1.5m, 1 pc	0205018



Note: One wire or tube pendant must be ordered per suspension point.