




TRACON ELECTRIC®
[« Vissza a találatokhoz](#)

Szigeteletlen szemes lemezsaru
Ónozott elektrolitrézb•l



Tracon kód	d ₁ (mm)	d ₂ (mm)	D (mm)	L (mm)	B (mm)	Vezeték (mm ²)		
						Tömör	Sodrott	Hajlékony
SZ1.5-3	2.5	3.7	4	16	8.4	2.5-4	2.5	1.5-2.5
SZ1.5-4	2.5	4.3	4	16	8.4			
SZ1.5-5	2.5	5.3	4	16	8.4			
SZ1.5-6	2.5	6.4	4	21.5	11.6			
SZ1.5-8	2.5	8.4	4	21.5	11.6			
SZ1.5-10	2.5	10.5	4	25.5	13.7			
SZ2.5-4	3	4.3	5	17.8	8	4-6	4	2.5-4
SZ2.5-5	3	5.3	5	17.8	8			
SZ2.5-6	3	6.4	5	21	12			
SZ2.5-8	3	8.4	5	27.5	15			
SZ2.5-10	3	10.5	5	27.5	15			
SZ2.5-12	3	13	5	30.8	18.9			
SZ2.5-16	3	17	5	41.2	26.7	6-10	6	4
SZ4-4	3.7	4.3	5.5	19	9.6			
SZ4-5	3.7	5.3	5.5	19.6	9.6			
SZ4-6	3.7	6.4	5.5	23	12			
SZ4-8	3.7	8.4	5.5	27.6	15			
SZ4-10	3.7	10.5	5.5	27.6	15	16	10	6
SZ10-4	4.7	4.3	7.1	23.8	12			
SZ10-5	4.7	5.3	7.1	23.8	12			
SZ10-6	4.7	6.4	7.1	23.8	12			
SZ10-8	4.7	8.4	7.1	29.7	15			
SZ10-10	4.7	10.5	7.1	29.7	15			

SZ10-12	4.7	10.5	7.1	32.8	19	25	16	10
SZ16-5	5.8	5.3	9	28	12			
SZ16-6	5.8	6.4	9	28	12			
SZ16-8	5.8	8.4	9	32.2	16			
SZ16-10	5.8	10.5	9	32.2	16			
SZ16-12	5.8	13	9	40.9	22	35	25	16
SZ25-5	7.6	5.3	11.5	33.7	16.4			
SZ25-6	7.6	6.4	11.5	33.7	16.4			
SZ25-8	7.6	8.4	11.5	33.7	16.4			
SZ25-10	7.6	10.5	11.5	36.7	17.4			
SZ25-12	7.6	13	11.5	42.6	22	70	50	35
SZ35-6	9.6	6.4	13.5	42.8	22.1			
SZ35-8	9.6	8.4	13.5	42.8	22.1			
SZ35-10	9.6	10.5	13.5	42.8	22.1			
SZ35-12	9.6	13	13.5	42.8	22.1			
SZ50-6	11.5	6.4	15.5	50	22	95	70	50
SZ50-8	11.5	8.4	15.5	50	22			
SZ50-10	11.5	10.5	15.5	50	22			
SZ50-12	11.5	13	15.5	47.2	22			
SZ50-16	11.5	17	15.5	57.4	32			
SZ70-6	13.3	6.4	17.5	51	24	120	95	70
SZ70-8	13.3	8.4	17.5	51	24			
SZ70-10	13.3	10.5	17.5	51	24			
SZ70-12	13.3	13	17.5	51	24			
SZ70-16	13.3	17	17.5	60.7	31.8			
SZ95-8	14.6	8.4	19.5	54	27	150	120	70
SZ95-10	14.6	10.5	19.5	54	27			
SZ95-12	14.6	13	20.5	54	23.8			
SZ95-16	14.6	17	20.5	58	27.8			
SZ120-8	16.5	8.4	22.5	56	28.4	-	150	95
SZ120-10	16.5	10.5	22.5	56	28.4			
SZ120-12	16.5	13	22.5	55.6	28.4			
SZ120-16	16.5	17	22.5	69	32			
SZ150-10	20.3	10.5	26.5	65.8	36	-	185	120-150
SZ150-12	20.3	13	26.5	65.8	36			
SZ150-16	20.3	17	26.5	65.8	36			
SZ150-20	20.3	21	26.5	80.5	36			
SZ150-24	20.3	25	26.5	80.5	36			
SZ185-10	21.6	10.5	28.5	68.8	38.4	-	240	185
SZ185-12	21.6	13	28.5	68.8	38.4			
SZ185-16	21.6	17	28.5	68.8	35.8			
SZ185-20	21.6	21	28.5	87	38.8			
SZ185-24	21.6	25	28.5	87	38.8			
SZ240-10	24.5	10.5	32.5	71.5	44			

SZ240-12	24.5	13	32.5	71.5	44	-	300	240
SZ240-16	24.5	17	32.5	71.5	44			
SZ240-20	24.5	21	32.5	90.6	44			
SZ240-24	24.5	25	32.5	90.6	44			

Vonatkozó szabvány
MSZ-05-45.1601-1

Vonatkozó szabvány
MSZ EN 61238-1